			10	CHE CHID CTA	NEIDELL			/	10	611.9	:	100000		
يغترا				UE SLIP STAPLE AREA (for additional cross-references) ISSUING CLASSIFICATION						211.9	4	1.4		
	ORIGINAL CLASS SUBCLASS			CROSS REFERENCE/S)							-4			
	·	30 30	70CLASS	CLASS	SUB	CLASS (ON	ESUBCL	ASS PER	BLOCK	9	18 4			
	 						1		""		· ;			
		TINTERNATION CLASSIFICATI	WE -								:			
		7									•			
		-	/				1			1	1.085			4.60
1	-1-1-	_					11			11	1,0	1 1131		
	Ш						1			11				
	111	/												
L	Ш					Conlinued	on Issue S	lin Insida	File la	Ckal -				
	·	Rejoctod	- (Through	NI Cancomun	DEX OF CIVI	MS								
Cla		Nlowed	<u> </u>	Rest	ricled 1		etterence C)	Appeal Objecto	od				
П	ا ق	TIT		Claim	Da(0	$\neg \neg \dashv$	Clalm	111	Dale	7-7-	3,			
- E	ial la l	1111		Pina! Original	1111		la Sparie			+111				
IC	D			51	H + H									
	2			52		+++1	101	HH	H	+				
				53	-	++11	101							
1 6	-		111	55			105	111		++-				
8				57		++++	106	$+\Pi$						
8			+++	58 59			108							
10	+-	+111	111	60		[100	+++	+					
12		1111	+++	61 62	++++		111		111	11				
13	++	1111	$\Pi\Pi$	61			113		1-1-1	- -				
15	11			65	++++	-+-	114	HI		\Box				
17	11		 - - 	65			118			力		100		
18	+	\vdash		60			118			+1.				
20			<u> </u>	70	┠╌╂╌╂╌╂		119	-H	\prod	Π				
22			-{-}	71			121		11	Ħ		ing Have		
24		-1	71	73			123	+++		 				
25 26			廿日	75	1-1-1-		124	111	1					
27				16	1-1-1-		26	111		<u></u>				
28 29	-1-T	+++		78	1111		27 26	+++	+++	<u>-</u>				
30	11			90	1111		29		111					
32	++-	 	HH	11		13				1.				
34	11-		. 0	3	┧╂╂╂	13	2 -							
35	1 1		8			13-	4 1 1 1			1 - 1				
36 17	$\left \cdot \right $	+	86	111-	<u> </u>	133		- $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$		1				
.0		<u> </u>	88		+++	137		$\Box\Box$	11					
ō	- -		89			139		111	11					
		1111	191		++++	140		HI	11					
	++	+++	92		1111	142								
	11	1111	I Del			140	1	1 2 1 A A	H	陰器				
	11	1 + + +	95 96	++++	1111	145	147							
1	TI		07	1111	++++	140	1 3 教 藝	15 15 33	[4]					
11	1	 	90	++-		140	1 常以	14 8 2	黑色。					
			100	1111	1	. 13 (50)	医器器	學等學	\$ 80 P					
		it wote thei	n 150 clalm	e or 8 actions	gtaple additio	nal shoot he			X8914				13.	
v".					2001 (1994)	以水泥品料料	KENKU NY	中心的多的	经批批	阿維		100		
											Salar.			